

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S184	30	(connection or session) same (secure near socket) and S133	USPAT	OR	OFF	2005/06/03 09:58
S185	24	S184 and install\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:11
S181	217	(connection or session) same (secure near socket)	USPAT	OR	OFF	2005/06/01 18:11
S175	19	S173 and install\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:11
S183	7	(connection or session) near (secure near socket) and S133	USPAT	OR	OFF	2005/06/01 18:10
S182	48	(connection or session) near (secure near socket)	USPAT	OR	OFF	2005/06/01 18:10
S180	5	S176 and (socket)	USPAT	OR	OFF	2005/06/01 18:09
S178	5	S176 and (session or connection) and secure	USPAT	OR	OFF	2005/06/01 18:08
S177	15	S176 and (session or connection)	USPAT	OR	OFF	2005/06/01 18:06
S176	21	(US-5968116-\$ or US-6065043-\$ or US-6202121-\$ or US-6266809-\$ or US-6289378-\$ or US-6430596-\$ or US-6496858-\$ or US-6594723-\$ or US-6604237-\$ or US-6604238-\$ or US-6615404-\$ or US-6698018-\$ or US-6775830-\$ or US-6230194-\$ or US-6473771-\$ or US-6167567-\$ or US-5555416-\$ or US-6816964-\$ or US-6526447-\$ or US-6363499-\$ or US-6012100-\$).did.	USPAT	OR	OFF	2005/06/01 18:05
S174	0	S173 and ((post-install\$7) or post adj (re-boot\$3 or reboot\$3 or install\$7))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:05
S173	23	(re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) and (session and (secure near socket)) and agent	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:05
S172	52	(re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) and (session and (secure near socket))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:04
S171	15	(re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) and (session same (secure near socket))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:04
S170	42	(re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) and (session near secure)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:02
S142	1401	((post-install\$7) or post adj (re-boot\$3 or reboot\$3 or install\$7))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:02

S13 3	109166	(re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 18:02
S16 8	1	("6,067,582").PN.	USPAT; USOCR	OR	OFF	2005/06/01 17:04
S16 7	1	("6516337").PN.	USPAT; USOCR	OR	OFF	2005/06/01 16:41
S16 6	5	(queue\$3 or buffer\$3) near (command or instruction or script) near execut\$3 and (re-boot\$3 or reboot\$3) and (re-start\$3 or restart\$3 or resum\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:41
S16 5	84	(queue\$3 or buffer\$3) near (command or instruction or script) near execut\$3 and (re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:40
S16 4	0	(queue\$3 or buffer\$3) near (command or instruction or script) near execut\$3 near remot\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:40
S16 3	480	(queue\$3 or buffer\$3) near (command or instruction or script) near execut\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:39
S13 2	8831	(queue\$3 or buffer\$3) near (command or instruction or script)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:39
S16 2	12	(execut\$3 near sequential near (command or instruction or script)) and install\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:29
S15 6	114	(execut\$3 near sequential near (command or instruction or script))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:29
S16 1	0	(execut\$3 near sequential near (command or instruction or script)) and agent	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:28
S15 4	175	((re-boot\$3 or reboot\$3) near (re-start\$3 or restart\$3 or resum\$3))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:28
S15 7	5069	(remot\$3 near (deploy\$5 or configurat\$3 or install\$3 or upgrad\$3 or initializ\$5))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:27
S15 5	21	S154 and (execut\$3 near (command or instruction or script))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:27

S14 7	131	(re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) and agent and (remot\$3 near (deploy\$5 or configurat\$3 or install\$3 or upgrad\$3 or initializ\$5))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:27
S15 3	9	((re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) near resum\$3) and agent	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:23
S14 9	20	S147 and (execut\$3 near (command or instruction or script))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:23
S15 2	0	((re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) near resum\$3) and agent and (remot\$3 near (deploy\$5 or configurat\$3 or install\$3 or upgrad\$3 or initializ\$5))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:22
S15 1	12	S133 and S150	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/01 16:16
S15 0	17	("20010042112"   "5797016"   "5805897"   "5978594"   "6009274"   "6038664"   "6049892"   "6052779"   "6067582"   "6075943"   "6240550"   "6247126"   "6282711"   "6363499"   "6421777"   "6526447").PN. OR ("6816964").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/01 16:15
S14 8	122	S147 and execut\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:47
S14 6	526	(re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) and (remot\$3 same agent)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:46
S14 5	5	S144 not S140	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:43
S14 4	29	S133 and S142	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:43
S14 0	24	(re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3) and ((post-install\$7) or post adj install\$7)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:42
S13 4	158	S132 same S133	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:21
S13 1	21	S130 and (re-boot\$3 or reboot\$3 or re-start\$3 or restart\$3)	USPAT	OR	OFF	2005/06/01 15:20

S130	31	(US-5867713-\$ or US-5872990-\$ or US-5933647-\$ or US-5968116-\$ or US-6065043-\$ or US-6067582-\$ or US-6085222-\$ or US-6202121-\$ or US-6230194-\$ or US-6263387-\$ or US-6266809-\$ or US-6289378-\$ or US-6298445-\$ or US-6317742-\$ or US-6393539-\$ or US-6430596-\$ or US-6477645-\$ or US-6496858-\$ or US-6594723-\$ or US-6604237-\$ or US-6604238-\$ or US-6609182-\$ or US-6615404-\$ or US-6658091-\$ or US-6658465-\$ or US-6686838-\$).did. or (US-6698018-\$ or US-6704733-\$ or US-6718373-\$ or US-6766364-\$ or US-6775830-\$).did.	USPAT	OR	OFF	2005/06/01 14:25
S90	1	("6,516,337").PN.	USPAT; USOCR	OR	OFF	2004/08/19 16:01
S89	2	(command or instruction) same queue\$3 and connection and (secure adj socket) and resum\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 16:01
S88	50	(command or instruction) and queue\$3 and connection and (secure adj socket) and resum\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 15:59
S87	3	(command or instruction) near2 queue\$3 and connection and (secure adj socket)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 15:58
S86	1	new adj connection same (secure adj socket)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 15:25
S85	21	secure adj socket near connection and command	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 15:22
S84	39	secure adj socket near connection	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 15:16
S77	27	(remote adj install\$5 and command and agent) not (remote adj install\$5 and server and gateway and agent)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 15:15
S83	6	((("6,067,582") or ("6,708,195") or ("5,978,951") or ("6,314.565") or ("6,529,938") or ("6,272,677") or ("6,635,016")).PN.	USPAT; USOCR	OR	OFF	2004/08/19 11:11
S82	16	"9847057" or "9853397" "6138153" "9826548" "9847057"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 11:11
S81	2	((("20020194584") or ("20020156874")).PN.	US-PGPUB; USOCR	OR	OFF	2004/08/19 11:00
S80	589	((709/220).CCLS.) and (configur\$5 or reconfigur\$5 or deploy\$5 or install\$5) and (command or instruction or queue\$3)	USPAT	OR	ON	2004/08/19 10:17
S79	721	((709/220).CCLS.) and (configur\$5 or reconfigur\$5 or deploy\$5 or install\$5)	USPAT	OR	ON	2004/08/19 10:16
S78	773	(709/220).CCLS.	USPAT; USOCR	OR	OFF	2004/08/19 10:15
S2	873	(709/226).CCLS.	USPAT; USOCR	OR	OFF	2004/08/19 10:14
S76	55	remote adj install\$5 and command and agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:55

S75	173	remote adj install\$5 and command	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:55
S74	28	remote adj install\$5 and server and gateway and agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:54
S73	43	remote adj install\$5 and server and gateway	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:54
S72	674	remote adj install\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:54
S71	38	install\$5 near2 software same lock\$3 and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:53
S70	73	install\$5 near2 software same lock\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:16
S69	7612	install\$5 near2 software	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:16
S68	40	(reboot\$5 or restart\$5) same state and resum\$3 and (software near install\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 17:15
S67	29	(execut\$3 and paus\$3 and resum\$3) near2 (instruction or command) and install\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:57
S66	107	(execut\$3 and paus\$3 and resum\$3) near2 (instruction or command)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:52
S65	87544	execut\$3 near2 (instruction or command)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:51
S64	17	agent near resid\$3 near (client or terminal or device) and (command or instruction)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:51
S63	32	agent near resid\$3 near (client or terminal or device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:47
S62	16	agent adj receiv\$3 adj (command or instruction or message) and installation	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:46
S61	95	agent adj receiv\$3 adj (command or instruction or message) and software	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:44

S60	19	agent adj receiv\$3 adj (command or instruction or message) and verify\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:43
S59	126	agent adj receiv\$3 adj (command or instruction or message)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:42
S58	16	agent near verify\$3 and gateway and install\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:41
S57	34	agent near verify\$3 and gateway	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:38
S56	111	agent near verify\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:38
S55	3	gateway same (agent near command)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:38
S54	0	gateway near agent near command	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:36
S53	56	reboot\$5 and ((paus\$3 or stop\$5) near2 command) and (restart\$3 or resum\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:35
S52	89	reboot\$5 and ((paus\$3 or stop\$5) near2 command)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:16
S50	3	(microsoft.as. and reboot\$5 and resum\$3) not (microsoft.as. and reboot\$5 and install\$5 and resum\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:16
S51	4	("5778443"   "5784628"   "5809329"   "6209088").PN.	USPAT	OR	ON	2004/08/16 15:15
S49	14	microsoft.as. and reboot\$5 and resum\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:13
S47	11	microsoft.as. and reboot\$5 and install\$5 and resum\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:13
S48	1	"6594723".URPN.	USPAT	OR	ON	2004/08/16 15:10
S46	42	microsoft.as. and reboot\$5 and install\$5 and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:09
S45	51	microsoft.as. and reboot\$5 and install\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:07
S44	88	microsoft.as. and reboot\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:06

S42	11	software near install\$5 and (reboot\$5 near command)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:06
S43	6	"6266809".URPN.	USPAT	OR	ON	2004/08/16 14:46
S41	17	software near install\$5 near command	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:42
S40	5314	software near install\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:41
S39	28	provision and reboot\$5 and agent and (command same install\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:40
S38	123	provision and reboot\$5 and agent and command and install\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:37
S37	136	provision and reboot\$5 and agent and command	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:36
S36	144	provision and reboot\$5 and agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:36
S35	530	provision and reboot\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:36
S34	38	hardware adj (reboot\$5 or reset\$5 or restart\$3) and (software near install\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:36
S33	1636	hardware adj (reboot\$5 or reset\$5 or restart\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:13
S32	38	remote adj (config\$5 or install\$5) and agent and (reboot\$5 or reset\$5 or restart\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:12
S31	78	remote adj (config\$5 or install\$5) and agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:09
S30	702	remote adj (config\$5 or install\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:09
S29	1	command adj queue same reboot\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:09
S28	1368	command adj queue	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:08

S27	7	(reboot\$5 adj command) and agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:08
S26	2	(reboot\$5 adj command) same agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:03
S25	51	reboot\$5 adj command	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:02
S24	30	((run\$5 or execut\$3) near2 (software or command or instruction)) same ((reset\$5 or restart\$3 or reboot\$5) near resum\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:02
S19	10	software adj command and execut\$3 and resum\$3 and reboot\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:57
S23	0	"6751702".URPN.	USPAT	OR	ON	2004/08/16 13:48
S22	2	("6145028"   "6640278").PN.	USPAT	OR	ON	2004/08/16 13:47
S21	91	(717/175).CCLS.	USPAT; USOCR	OR	OFF	2004/08/16 13:46
S12	251	(717/176,177,178).CCLS.	USPAT; USOCR	OR	OFF	2004/08/16 13:46
S20	34	hardware near2 reboot\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:41
S18	253	software adj command and execut\$3 and resum\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:38
S17	1041	software adj command and execut\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:38
S16	1600	software adj command	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:37
S15	22	execut\$3 near commands near agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:37
S14	8	reboot\$5 adj cycle	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:33
S13	4	(suorsa.inv. or poskanzer.inv. or ferguson.inv. or levasseur.inv. ) and reboot\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:30
S11	2	"6473857".URPN.	USPAT	OR	ON	2004/08/16 11:50
S10	15	((709/221,222).CCLS.) and agent and reboot\$5	USPAT	OR	ON	2004/08/16 11:33
S9	128	((709/221,222).CCLS.) and agent	USPAT	OR	ON	2004/08/16 11:33
S6	703	(709/202).CCLS.	USPAT; USOCR	OR	OFF	2004/08/16 11:27
S8	778	(709/221,222).CCLS.	USPAT; USOCR	OR	OFF	2004/08/16 11:25



S4	770	(709/220).CCLS.	USPAT; USOCR	OR	OFF	2004/08/16 11:25
S7	5	"6289378".URPN.	USPAT	OR	ON	2004/08/16 11:16
S5	535	((709/220).CCLS.) and network and server	USPAT	OR	ON	2004/08/16 10:54
S3	646	((709/226).CCLS.) and network and server	USPAT	OR	ON	2004/08/16 10:51
S1	1	("20020156894").PN.	US-PGPUB; USOCR	OR	OFF	2004/08/16 10:32